

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A computer chassis apparatus comprising:
a chassis frame having a load-bearing surface; ~~[[and]]~~
one or more rounded portions on the load-bearing surface, each rounded portion protruding upwardly from the load-bearing surface and configured to support a chassis cover installed on the chassis frame; and
a removable structure adapted to be installed within the computer chassis, the removable structure configured to fit with at least some of the rounded portions of the chassis frame.
2. (Original) The apparatus of claim 1, wherein the chassis frame is for a small form factor computer.
3. (Currently amended) The apparatus of claim 1, wherein the load-bearing surface of the chassis frame includes a plurality of the rounded portions protruding upwardly to support a chassis cover ~~from the load-bearing surface of the rail.~~
4. (Original) The apparatus of claim 1, wherein each rounded portion has a flat top surface to support the chassis cover.
5. (Original) The apparatus of claim 1, wherein each rounded portion is formed integrally into the load-bearing surface on the computer chassis frame.
6. (Original) The apparatus of claim 1, wherein each rounded portion is mounted to the load-bearing surface of the computer chassis frame.
7. (Canceled)
8. (Currently amended) The apparatus of claim 1 ~~[[7]]~~, wherein the removable structure is configured to house at least one computer component.

9. (Currently amended) The apparatus of claim 1 [[7]], wherein the removable structure receives the rounded portions of the chassis frame to secure the removable structure.

10. (Currently amended) The apparatus of claim 1 [[7]], wherein the removable structure includes corresponding rounded portions ~~a hollow tab~~ configured to fit over ~~around a~~ ~~perimeter of~~ the rounded portions of the chassis frame.

11. (Currently amended) The apparatus of claim 1 [[7]], wherein the removable structure is laterally restrained by the rounded portions when installed on the chassis frame.

12. (Canceled)

13. (Original) A computer chassis comprising:

a computer chassis frame;

a chassis cover for fitting over the computer chassis frame; [[and]]

means for supporting the chassis cover when fitted over the computer chassis frame;

and

a removable structure adapted to be installed within the computer chassis frame, the

removable structure configured to fit over the means for supporting the
chassis cover.

14. (Currently amended) A computer chassis apparatus comprising:

a computer chassis frame for a form factor computer comprising at least two upward facing surfaces;

a plurality of oblong rounded domes formed into the upward facing surfaces of the computer chassis frame and distributed evenly along the surfaces;

a removable drive frame for supporting a plurality of drives of different sizes adapted to be installed within the computer chassis, the removable drive frame comprising [[an]] interface structures corresponding to each rounded dome, each interface structure configured to fit over ~~fitted to~~ each rounded dome.

15. (Original) The apparatus of claim 1, wherein the load-bearing surface comprises a rail bordering the top of the chassis frame.